
NORTH CAROLINA UNIV AT CHAPEL HILL DEPT OF CHEMISTRY F/G 7/2 ISOLATION OF A STABLE BINUCLEAR COPPER COMPLEX CONTAINING A COP-ETC(U) DEC 80 K P DANCEY, P A TASKER R PRICE M00014-76-C-0816 AD-A098 244 TR-14 NL. UNCLASSIFIED 1.1END DATE 5 81



OBFICE OF NAVAL

TRACT/NØØØ14-76-C-Ø816 TASK NO. NR 053-617 TECHNICAL REPORT NO. 14 A 0982

ISOLATION OF A STABLE BINUCLEAR COPPER COMPLEX CONTAINING A

COPPER-COPPER BONDED UNIT. THE X-RAY STRUCTURE DETERMINATION

((7,8,15,16,17,18,25,26,33,34,35,36-DODECAHYDROTETRABENZO[e,m,s,a']
[1,4,8,11,15,18,22,25]OCTA-AZACYCLO-OCTABICOSINE)DICOPPER) TRIPERCHLORATE.

Tasker, R. Price, W.E. Hatfield, and D.C. Brower

PREPARED FOR PUBLICATION

IN

Journal of the Chemical Society, Chemical Communications

UNIVERSITY OF NORTH CAROLINA DEPARTMENT OF CHEMISTRY 045A CHAPEL HILL, NORTH CAROLINA 27514

REPRODUCTION IN WHOLE OR PART IS PERMITTED FOR ANY PURPOSE OF THE UNITED STATES GOVERNMENT

*THIS DOCUMENT HAS BEEN APPROVED FOR PUBLIC RELEASE AND SALE; ITS DISTRIBUTION IS UNLIMITED. *THIS STATEMENT SHOULD ALSO APPEAR IN ITEM 10 OF DOCUMENT CONTROL DATA - DD FORM 1473. COPIES OF FORM AVAILABLE FROM COGNIZANT CONTRACT ADMINISTRATOR.

400342 Ju.

SECURITY CEASSIFICATION OF THIS PAGE (WAS DAIR BRIGHTO)		
REPORT DOCUMENTATION PAGE	READ INSTRUCTIONS BEFORE COMPLETING PORM	
1. REPORT NUMBER 2. SOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER	
14 × AD-A098244	/-	
4. TITLE (and Substitue) Isolation of a Stable Binuclear	S. TYPE OF REPORT & PERIOD COVERED	
Copper Complex Containing a Copper-Copper Bonded	Technical Report, Interim	
Unit. The X-ray Structure Determination {(7,8,15,	6. PERFORMING ORG. REPORT NUMBER	
16,17,18,25,26,33,34,35,36-Dodecahydrotetrabenzo- [e,m,s,a'] 1,4,8,11,15,18,22,25]Octa-azacyclo	PERFORMING ONG. REPORT HUMBER	
7. AUTHOR(a)	S. CONTRACT OR GRANT NUMBER(*)	
K.P. Dancey, P.A. Tasker, R. Price, W.E. Hatfield,	N00014-76-C-0816	
and D.C. Brower	100,24 70-0 0020	
9. PERFORMING ORGANIZATION NAME AND ADDRESS	10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS	
Department of Chemistry 045A		
University of North Carolina		
Chapel Hill, North Carolina 27514		
11. CON ROLLING OFFICE NAME AND ADDRESS Cffice of Naval Research	12. REPORT DATE	
Department of the Navy	December 15. 1980	
Arlington, Virginia 22217	7	
14. MONITORING AGENCY NAME & ADDRESS(II different from Controlling Office)	15. SECURITY CLASS. (of this report)	
	Unclassified	
	IE- DECLASSIFICATION/DOWNSDADING	
	150. DECLASSIFICATION/DOWNGRADING SCHEDULE	
15. DISTRIBUTION STATEMENT (of this Report)		
Approved for Public Release, Distribution Unlimit	•4	
Ephtored for impric kerease, practitude for cultimite	Ea	
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 29, If different from	n Report)	
This document has been approved for public release	and sale; its distribution	
is unlimited.		
18. SUPPLEMENTARY NOTES		
To be published in the Journal of the Chemical Soci	lety, Chemical Communications.	
: 		
13. KEY WORDS (Continue on severae aide if necessary and identify by block number)		
macrocyclic complexes, copper complexes, mixed-valer	nce complexes, crystal struc-	
ture determination, copper-copper bonded.		
<i>,</i>	nul could	
	Y Y	
23. ABSTRACT (Continue on reverse side if necessary and identify by block number)	sound to be described	
An octa-azamacrocycle with a 28-membered ring has been found to be capable of incorporating a symmetrical copper-copper bonded unit which contains a short Cu-Cu		
bond (2.445(4) A). The compound is paramagnetic with $\mu_{eff} = 1.87 \mu_{B}$ at 300 K and		
- 		
exhibits single lines at g = 2.09 in the X-band EPR spectra of solid samples or of frozen acetonitrile solutions (77 K).		
l frazen ecetamitrile ealutione (77 Y)		

DD , FORM 1473 EDITION OF 1 NOV 65 IS OBSOLETE

SECURITY CLASSIFICATION OF THIS PAGE (100 Dain Entered)

Isolation of Stable Binucleur Copper Complex Containing a

Copper-Copper Bonded Unit. The X-ray Structure Determination

((7,8,15,16,17,18,25,26,33,34,35,36-Dodecahydrotetrabenzo[e,m,s,a']
[1,4,8,11,15,18,22,23]octa-azacyclo-octaeicosine)di-opper/triperchlorate.

By Keith P. Dancey and Peter A. Tasker

(Department of Chemistry, The Polytechnic of North London, Holloway, London, N7 8DB)

Raymond Price

(ICI Organics Division, Hexagon House, Blackley, Manchester M9 3DA)

William E. Hatfield and Douglas C. Brower

(Department of Chemistry, University of North Carolina, Chapel Hill, Dist NC 27514, USA

Accession For MTIS GRAŁI O DTIC TAB Unannounced Justification

Distribution/
Availability Ca

Avoil and, a Dist Special

A

Summary. An octa-azamacrocycle with a 28-membered ring has been found to be capable of incorporating a symmetrical copper-copper bonded unit which contains a short Cu-Cu bond (2.445(4) Å). The compound is transagnetic with $\mu_{\rm eff}$ = 1.87 $\mu_{\rm B}$ at 300 K and exhibits single lines at κ = 2.09 in the X-band EPR spectra of solid samples or of frozen acetonity to solid samples.

A number of dinucleating ligands have been used 1,2 recently to bring two copper atoms into close proximity, thus providing models for the 'Type 3 Coppers' in the multi copper oxidases. These copper sites are characterized by an ability to the astwo-electron acceptor/donor systems, and contain two Cu²⁺ ions which are strongly antiferro magnetically coupled. In most of these model systems the two copper atoms are separated by bridges containing one 1 or more 2 atoms. We report here the preparation of a dinuclear complex which contains a direct Cu-Cu bond.

Treatment of a suspension of the octa-aza macrocycle (1) in tetrahydrofuran with a methanolic solution of copper(II) perchlorate resulted in almost complete dissolution of (1). After filtration the green solution slowly deposited green prisms of the title complex [Cu₂(1)](ClO₄)₃. The presence of a tricationic complex was unexpected, and could have arisen either (1) by transfer of a single electron to the dicopper centre, (2) by loss of one of the anilino protons from the ligand (a common form of co-ordination for related tetra-aza macrocycles), (3) by reduction of the copper ions and simultaneous mono-oxidation of the macrocyclic ligand, or (4) from a bonded pair of copper(II) ions with a reduced ligand. The second possibility can be excluded on the basis of an X-ray structure determination which shows that all four anilino nitrogen atoms have approximately tetrahedral geometry (figure 1), rather than a trigonal planar arrangement which has been found for the deprotonated anilino nitrogen atoms in the neutral complexes (2).

A magnetic moment determination by the Faraday method on a solid sample at room temperature 300 K) yielded $u_{eff} = 1.87 \ \mu_{B}$, thus confirming the expected paramagnetism of the [Cu₂(1)]³⁺ formulation.

The two copper atoms have very similar coordination geometries (table 1) and the cation has approximate 2-fold symmetry about an axis which passes through the midpoint of the Cu-Cu bond and relates the ligand portion a to c and b to d (see figure 1). The similarity of the environments of Cu(1) and Cu(2), and the short bond (2.445(4) Å) between them suggest that the copper atoms should not be assigned discrete formal oxidation states +1 and +2, but that the single unpaired electron is delocalised over both metal centres, or that the metal centres are identical and the unpaired electron resides on the ligand.

The EPR spectra at X-band of a powdered sample or of a frozen acetonitrile solution (77 K) exhibited one line at g = 2.09 with a peak line width of 80-90 gauss. These data do not unambiguously support the immediate conclusions from the X-ray structural study that the copper ions are equivalent and that this is a Type IIIA mixed valence compound. The single line could arise from exchange narrowing between sites with life times which are very short on the EPR time scale, or from inherently narrow lines arising from isotropic nuclear hyperfine coupling constants on the order of 40×10^{-4} cm⁻¹, as estimated from the line width. small coupling constants are known for the "blue" copper proteins 3 ${
m as}$ well as a variety of typical coordination compounds of copper(II). is well established that 4s and 4p orbital admixture into the ground state leads to small hyperfine coupling constants and single line EPR spectra. The magnetic susceptibility and EPR data clearly indicate that the formulation of the compound as [Cu₂L](ClO₄) ; is correct, and the X-ray structural results are most readily interpreted in terms of a copper-copper bond since the Cu-Cu distance is very short 10 for a dinuclear complex, and compares with values found in other metal-metal bonded systems.

An ESCA spectrum was obtained with a PHI 548 spectrometer using a magnesium anode and precision energy analyzer. A single copper $^2P_{3/2}$ line at 935.6 eV and a $^2P_{3/2}$ separation of 20.3 eV are compelling pieces of evidence for the assignment of like oxidation states to the two copper ions.

The compound undergoes facile reduction rapidly in a variety of solvents including tetrahydrofuran-methanol solutions, but is relatively stable in acetonitrile, thus permitting a range of electrochemical and optical studies on a uniquely new chemical system.

Crystal data $[Cu_2(1)](C10_4)_3$, $C_{36}H_{40}N_8Cl_3Cu_20_{12}$, $\underline{M}=1010.2$, monoclinic, \underline{Cc} , $\underline{a}=22.577(7)$, $\underline{b}=11.016(4)$, $\underline{c}=20.909(8)$ \underline{A} , $\underline{\beta}=118.96(2)^{\circ}$, $\underline{V}=4550.0$, $\underline{Z}=4$, θ -range 3-35° $\underline{R}=0.080$ for 1815 data with $\underline{I}/\sigma(\underline{I})>3.0$, obtained on a Philips PW 1100 diffractometer with Mo-K aradiation (two of the perchlorate ions show extensive disorder).

We thank the S. R. C. for a studentship (to KPD) and for diffractometer equipment and computing facilities. This work was supported in part by the Office of Naval Research.

[†]The atomic coordinates for this work are available on request from the Director of the Cambridge Crystallographic Data Centre, University Chemical Laboratory, Lensfield Road, Cambridge CB2 1EW. Any request should be accompanied by the full literature citation for this communication

- D. Earl Fenton and R.L. Lintevdt, <u>J. Amer. Chem. Soc.</u> 1978, 100, 6367, A.W. Addison, <u>Inorg. Nucl. Chem. Letters.</u> 1976, 12, 899, David E. Fenton; N. Bresciani-Pahor; M. Calligaria; G. Nardin and L. Randaccio, <u>J. Chem. Soc.</u>, <u>Chem. Commun.</u> 1979, 39, R.R. Gagne and C.L. Spiro, <u>J. Amer. Chem Soc.</u>, 1980, 102, 1443.
- ²K.D. Karlin, D.M. Feller and L.T. Dipierro, 1979, April ACS Meeting, Hawaii INOR 205; Chi-Lin O'Young, J.C. Dewan, H.R. Lilienthal and S.J. Lippard,

 <u>J. Amer. Chem. Soc.</u>, 1978, 100, 7291, M.G.B. Drew, M. McCann and S.M. Nelson,

 <u>J.C.S. Chem. Comm.</u>, 1979, 481.
- ³J.A. Fee, Structure and Bonding, 1975, 23, 1.
- 4 P.G. Owston, R. Peters and P.A. Tasker, unpublished work.
- ⁵D. ST.C. Black, C.H. Bos Vanderzalm and L.C.H. Wong, <u>Austral. J. Chem.</u>, 1979, 32, 2203.
- 6D. Losman, L.M. Englehardt and M. Green, <u>Inorg. Nucl. Chem. Letters</u>, 1973, 9,
 791, K. Henrick and P.A. Tasker, <u>Inorg. Chim. Acta</u>, in press
- M.B. Robin and P. Day, Adv. Inorg. Chem. and Radiochem., 1967, 10, 247.
- ⁸J.R. Masson, H.W. Richardson and W.E. Hatfield, Z. Naturforsh., 1977, 326, 551
- 9A.J. Freeman and R.E. Matson, "Magnetism", Vol, II, A.C.T. Rado and H. Suhl, Ed., Academic Press, New York, 1965, p. 67 ff; Y. Sharroff, J. Chem. Phys., 1963, 42, 3383. K.J. Stanley and K.W.H. Stevens, Proc. Phys. Soc. London, 1963, 72, 73.
- 10 M. Corbett, B.F. Hoskins, N.J. McLeo , and B.R. O'Day, <u>Aust. J Chem.</u>, 1975 28, 2377.

Table 4. Geometry about the copper atoms $(0,1,\dots,n-6)$?)


	(2)		C'u	Cu (2)	
	part g	punt g	act b	part c	
Bondlengths/A					
Cu-N(1)	1.95(2)	1.88(2)	1.31(2)	1.97(2)	
Cu-N(2)	2.18(2)	2.20(2)	19(2)	2.15(2)	
Angles /6					
N(1) -Cu-N(2)	91.8(9)	92.5(7)	93.7(9)	92.2(8)	
N(1' Cu-N(1)'	159.8(7)	-	158.0(9)		
N(1)-Cu-N(?)*	206.117)	98.3(9)	101.2(9)	105.0(8)	
N(2)-Cu-N(2)*	5 (8)	-	84.6(8)	-	
N(1:-Cu-Cu*	. 5 6)	80.6(7)	78.7(7)	80.5(6	
N(=)~Cu=Cu*	1.4.6:51	131.8(7)	129.0(5)	146,4(6)	

^{*}denotes an atom in the a *finative quarter of the Froand which is reportinated to the same CV stom.

^{*}denotes the Cu atom in the other half of the complex.

(2a)
$$R = \bigcap_{N}$$

(2b) $R = \bigcap_{N}$



Lettering to be meeters on figur ?

TECHNICAL REPORT DISTRIBUTION LIST, GEN

	No. Copies		No. Copies
Office of Naval Research		U.S. Army Research Office	
Attn: Code 472		Attn: CRD-AA-IP	
800 North Quincy Street		P.O. Box 1211	
Arlington, Virginia 22217	2	Research Triangle Park, N.C. 27709	1
ONR Branch Office		Naval Ocean Systems Center	
Attn: Dr. George Sandoz		Attn: Mr. Joe McCartney	
536 S. Clark Street		San Diego, California 92152	1
Chicago, Illinois 60605	1		
		Naval Weapons Center	
ONR Area Office		Attn: Dr. A. B. Amster,	
Attn: Scientific Dept.		Chemistry Division	
715 Broadway		China Lake, California 93555	1
New York, New York 10003	1		
		Naval Civil Engineering Laboratory	
ONR Western Regional Office		Attn: Dr. R. W. Drisko	
1030 East Green Street		Port Hueneme, California 93401	1
Pasadena, California 91106	1		
		Department of Physics & Chemistry	
ONR Eastern/Central Regional Office		Naval Postgraduate School	_
Attn: Dr. L. H. Peebles		Monterey, California 93940	1
Building 114, Section D			
666 Summer Street		Dr. A. L. Slafkosky	
Boston, Massachusetts 02210	1	Scientific Advisor	
		Commandant of the Marine Corps	
Director, Naval Research Laboratory		(Code RD-1)	
Attn: Code 6100	_	Washington, D.C. 20380	1
Washington, D.C. 20390	1		
		Office of Naval Research	
The Assistant Secretary		Attn: Dr. Richard S. Miller	
of the Navy (RE&S)		800 N. Quincy Street	,
Department of the Navy		Arlington, Virginia 22217	1
Room 4E736, Pentagon	•	Name 1 Chila Bassanah and David amant	
Washington, D.C. 20350	1	Naval Ship Research and Development Center	
Commander, Naval Air Systems Command		Attn: Dr. G. Bosmajian, Applied	
Attn: Code 310C (H. Rosenwasser)	•	Chemistry Division	_
Department of the Navy		Annapolis, Maryland 21401	1
Washington, D.C. 20360	1		
		Naval Ocean Systems Center	
Defense Technical Information Center		Attn: Dr. S. Yamamoto, Marine	
Building 5, Cameron Station		Sciences Division	
Alexandria, Virginia 22314	12	San Diego, California 91232	1
Dr. Fred Saalfeld		Mr. John Boyle	
Chemistry Division, Code 6100		Materials Branch	
Naval Research Laboratory	•	Naval Ship Engineering Center	•
Washington, D.C. 20375	1	Philadelphia, Pennsylvania 19112	1

- - - ·

TECHNICAL REPORT DISTRIBUTION LIST, 053

	No. Copies
Professor M. Newcomb Texas A&M University Department of Chemistry	
College Station, Texas 77843	1
Professor Richard Eisenberg Department of Chemistry University of Rochester	
Rochester, New York 14627	1

TECHNICAL REPORT DISTRIBUTION LIST, 053

	No. Copies		No. Copies
Dr. R. N. Grimes		Professor H. Abrahamson	
Department of Chemistry		Department of Chemistry	
University of Virginia	•	University of Oklahoma	•
Charlottesville, Virginia 22901	1	Norman, Oklahoma 73019	1
Dr. M. F. Hawthorne		Dr. M. H. Chisholm	
Department of Chemistry		Department of Chemistry	
University of California		Indiana University	•
Los Angeles, California 90024	1	Bloomington, Indiana 47401	1
Dr. D. B. Brown		Dr. B. Foxman	
Department of Chemistry		Department of Chemistry	
University of Vermont		Brandeis University	_
Burlington, Vermont 05401	1	Waltham, Massachusetts 02154	1
Dr. W. B. Fox		Dr. T. Marks	
Chemistry Division		Department of Chemistry	
Naval Research Laboratory		Northwestern University	_
Code 6130		Evanston, Illinois 60201	1
Washington, D.C. 20375	1	Du O Cooffman	
•		Dr. G. Geoffrey	
Dr. J. Adcock		Department of Chemistry Pennsylvania State University	
Department of Chemistry		University Park, Pennsylvania 1680	2 1
University of Tennessee		oniversity rate, remassivanta 1000	-
Knoxville, Tennessee 37916	1	Dr. J. Zuckerman	
		Department of Chemistry	
Dr. A. Cowley		University of Oklahoma	
Department of Chemistry		Norman, Oklahoma 73019	1
University of Texas	•		
Austin, Texas 78712	1	Professor O. T. Beachley	
- II Uanetald		Department of Chemistry	
Department of emistry		State University of New York	•
University of North Carolina		Buffalo, New York 14214	1
Chapel Hill, North Carolina 27514	1	Professor P. S. Skell	
•		Department of Chemistry	
Dr. D. Seyferth		The Pennsylvania State University	
Department of Chemistry		University Park, Pennsylvania 1680	2 1
Massachusetts Institute of		Bar 6 16 14 14 14 1 1 - 1 - 1	
Technology	1	Professor K. M. Nicholas	
Cambridge, Massachusetts 02139	4	Department of Chemistry Boston College	
Professor Ralph Rudolph		Chestnut Hill, Massachusetts 02167	1
Department of Chemistry			
University of Michigan		Professor R. Neilson	
Ann Arbor, Michigan 48109	1	Department of Chemistry	
		Texas Christian University	
		Fort Worth, Texas 76129	1

TECHNICAL REPORT DISTRIBUTION LIST, GEN

No. Copies

Dr. Rudolph J. Marcus Office of Naval Research Scientific Lisison Group American Embassy APO San Francisco 96503

Mr. James Kelley DTNSRDC Code 2803 Annapolis, Maryland 21402

A. M. Anzalone ARRADCOM Plastics Technical Evaluation Center Bldg. 3401 Dover, New Jersey 07801

2

